D'ALBORE ET AL.

Serial No. 10/820,462

Filing Date: April 8, 2004

## In the Claims:

1. (Original) A method for patching read only memory (ROM) instructions in an electronic system comprising a first non-volatile memory portion storing instruction groups defining patching functionalities, an extended memory portion storing extended instructions, and an additional memory portion, the method comprising:

checking a flag stored in the additional memory portion, the flag indicating a need for executing the extended instructions in the extended memory portion; and

alternating processing of the ROM instructions in the first non-volatile memory portion and the extended instructions in the extended memory portion based upon the flag.

- 2. (Original) A method according to Claim 1 wherein the electronic device comprises a processor.
- 3. (Original) A method according to Claim 1 wherein the first non-volatile memory portion comprises a read only memory.
- 4. (Original) A method according to Claim 1 wherein the instruction groups comprise at least one of subroutines and software modules.
- 5. (Original) A method according to Claim 1 wherein the additional memory portion comprises a volatile memory.

D'ALBORE ET AL.

Serial No. 10/820,462

Filing Date: April 8, 2004

6. (Original) A method according to Claim 5 wherein the volatile memory comprises a RAM.

- 7. (Original) A method according to Claim 1 wherein the additional memory portion comprises a non-volatile memory.
- 8. (Original) A method according to Claim 7 wherein the non-volatile memory providing the additional memory portion comprises at least one of an EPROM, an EEPROM and a FLASH memory.
- 9. (Original) A method according to Claim 1 wherein the flag indicates whether the instructions in the first non-volatile memory portion or the instructions in the extended memory portion are to be executed.
- 10. (Original) A method according to Claim 1 wherein the ROM instructions in the first non-volatile memory portion define a calling ROM based subroutine; and wherein the extended instructions in the extended memory portion reuses the calling ROM based subroutine without resulting in recursive actions.
- 11. (Original) A method according to Claim 1 wherein the ROM instructions in the first non-volatile memory portion define a calling ROM based subroutine; and wherein the calling ROM based subroutine is executed during execution of the extended instructions in the extended memory portion.

D'ALBORE ET AL.

Serial No. 10/820,462

Filing Date: April 8, 2004

12. (Original) A method according to Claim 1 wherein the ROM instructions in the first non-volatile memory portion define a calling ROM based subroutine; and wherein the extended instructions include integrative instructions completing actions of the calling ROM based subroutine.

- 13. (Original) A method according to Claim 1 wherein the flag represents binary information associated to a subroutine that uses a patching mechanism defined by the ROM instructions.
- 14. (Original) A method according to Claim 13 wherein each patching mechanism has a respective flag associated therewith.
- 15. (Original) A method according to Claim 1 wherein the first non-volatile memory portion comprises an electrically erasable and rewritable memory.
- 16. (Original) A method for patching ROM instructions in an electronic system comprising:

storing ROM instructions defining patching functionalities of the electronic system in a read only memory;

storing extended instructions with respect to the read only memory in an extended non-volatile memory;

storing flags in an additional memory for indicating a change in the ROM instructions or the extended instructions being executed; and

alternating processing of the ROM instructions in

D'ALBORE ET AL.

Serial No. 10/820,462

Filing Date: April 8, 2004

the read only memory and the extended instructions in the extended non-volatile memory based upon a logic value the flags.

- 17. (Original) A method according to Claim 16 wherein the additional memory comprises a volatile memory.
- 18. (Original) A method according to Claim 16 wherein the additional memory comprises a non-volatile memory.
- 19. (Original) A method according to Claim 16 wherein the flag indicates whether the ROM instructions in the read only memory or the extended instructions in the extended non-volatile memory are to be executed.
- 20. (Original) A method according to Claim 16 wherein the ROM instructions in the read only memory define a calling ROM based subroutine; and wherein the extended instructions in the extended non-volatile memory reuses the calling ROM based subroutine without resulting in recursive actions.
- 21. (Original) A method according to Claim 16 wherein the ROM instructions in the read only memory define a calling ROM based subroutine; and wherein the calling ROM based subroutine is executed during execution of the extended instructions in the extended non-volatile memory.
- 22. (Original) A method according to Claim 16 wherein the ROM instructions in the read only memory define a

D'ALBORE ET AL.

Serial No. 10/820,462

Filing Date: April 8, 2004

calling ROM based subroutine; and wherein the extended instructions comprise integrative instructions completing actions of the calling ROM based subroutine.

- 23. (Original) A method according to Claim 16 wherein the flag represents binary information associated to a subroutine that uses a patching mechanism defined by the ROM instructions.
- 24. (Original) A method according to Claim 23 wherein each patching mechanism has a respective flag associated therewith.

an additional memory for storing flags indicating a change in the instructions being executed; and

- a processor connected to said read only memory, said extended non-volatile memory and said additional memory, said processor alternating processing of the ROM instructions in said read only memory and the extended instructions in said extended non-volatile memory based upon the flags.
- 26. (Original) An electronic system according to Claim 25 wherein said additional memory comprises a volatile memory.

D'ALBORE ET AL.

Serial No. 10/820,462

Filing Date: April 8, 2004

27. (Original) An electronic system according to Claim 25 wherein said additional memory comprises a non-volatile memory.

- 28. (Original) An electronic system according to Claim 25 wherein the flags indicates whether the ROM instructions in said read only memory or the extended instructions in said extended non-volatile memory are to be executed.
- 29. (Original) An electronic system according to Claim 25 wherein the ROM instructions in said read only memory define a calling ROM based subroutine; and wherein the extended instructions in said extended non-volatile memory reuses the calling ROM based subroutine without resulting in recursive actions.
- 30. (Original) An electronic system according to Claim 25 wherein the ROM instructions in said read only memory define a calling ROM based subroutine; and wherein the calling ROM based subroutine is executed during execution of the extended instructions in said extended non-volatile memory.
- 31. (Original) An electronic system according to Claim 25 wherein the ROM instructions in said read only memory define a calling ROM based subroutine; and wherein the extended instructions comprise integrative instructions completing actions of the calling ROM based subroutine.
  - 32. (Original) An electronic system according to

D'ALBORE ET AL.

Serial No. 10/820,462

Filing Date: April 8, 2004

Claim 25 wherein the flag represents binary information associated to a subroutine that uses a patching mechanism defined by the ROM instructions.

33. (Original) An electronic system according to Claim 32 wherein each patching mechanism has a respective flag associated therewith.